

AJD 200

John Deere
Mecc Alte
P 602



ISO8528

SZUTEST

CE

2000/14/EC

	"	"	"	"	Amp
400/230	200,00	160,00	180,00	144,00	260,00

Standard Specifications

Standard Specifications

Standard Specifications

Standard Specifications

Standard Specifications

Standard Specifications

Standard Specifications

Standard Specifications

Standard Specifications

AJD 200

John Deere
Mecc Alte
P 602

1

Manufacturer		John Deere		
Model		6068 H		
		% \$ \$ ' "# "		
		% ' \$ \$ \$ ' "		
		Q & () \$ \$ \$ < DQ		
	L	6,800		
	"	106 X127		
		17:1		
	fl # 7	"# "	1500	
	fl 7	L	32,00	
		L	36,50	
AbsorbedAirDischargeReSourceKey.Text	' # "	11,50		
	' # "	252,10		
	' # "	32,90		
	° C	603,00		
		12 V d.c.		
	Load	% \$ \$ i	' +) i) \$ i
	# "	41,00	31,30	20,50

2

		Mecc Alte		
		ECO 38-1SN		
	Hz	50		
	"	180,00		
7cg'		0,80		
		3		
	fl 7	400/230		
	A	259,00		

3

		fl 7		fl 7	
	"	"	"	"	L
AJD 200	1570,00	2392,00	1150,00	1521,00	380,00
		fl 7		fl 7	
	"	"	"	"	L
AK 50	1990	3402	1160	1866	380

AJD 200

John Deere
Mecc Alte
P 602

1 D * \$ & !



- 1 A U]b'gUhi g'X]gd'Um'
- 2 8]gd'UmgVfc''Vi hrcb''
- 3 DU[Yf]bZcfa Uhjcbk'Vi hrcb''
- 4 7 ca a cb U'Ufa]bX]WUhc''
- 5 GHUhi g'@98fg''
- 6 C dYfUhc'b'gY'YVW]b['Vi hrcbg''

8G9ža cXY''\$&\$'5i hc' A U]bg': U]i fy Včbfc''a cXi 'Y'
6UHyfmVUf[Yf]bdi h%, !&*('j c'hžci hdi h''&+ž' J) '5'f&('J Ecf'% ž' J c'h) 5'f&J k
9a Yf[YbVhrcd'di g\ 'Vi hrcb'UbX ž' gYg'ZfVčbfc''V]fV]jg''

7 ca dcbYbrg]bghU''YX]b'g\YYhgHY''YbWcgi fy''D\cgd\UHY'WYa]WždfY!VčUhb['cZghYY''dfcj]XYg Včffcg]cb
fy]g]Ubhgi fZUW''Dc'mYgHY'Vča dcg]HY' dck XYf'hdVčUhcZcfa g\][\ ['cgg'UbX'YI hYa Y'mXi fUV'Y ž]b]g\''@cW\UV'Y
UbX\]b[YX'dUbY'Xccf'dfcj]XYg YUgmUWV]gg'hc''Vča dcbYbrg''

'7 cbfbc''dUbY''j]g'a ci bHYX'cb'VUgYZUa Y k]h' ghY''ghUbX''@cW]HYX'Uhih'Y'f][\hg]XY'cZh'Y [YbYfUhc'f'gyhfk \Yb'nci
'cc_'Uhih'Y; Yb''GYH'Zca '5'HYfbUhc'fL

H\Y''8G9''\$&\$]g'U'ghUbXUfX'Včbfc''a cXi 'Y'Zf'ci f [YbYfUhc'f'gYhg'i d'hc'&\$\$_J 5'UbX'ih\Ug'VYYb'XYg][bYX'hc
ghUfhUbX'ghcd'X]YgY'UbX'[Ug[YbYfUhc'f'gYhg''H\Y'8G9''\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc'a cb]rcf [YbYfUhc'f
Z]ei YbVčžj c'ž'W'fYb'ž'Yb[]bY'c]'dfYggi fyžVčc'UbhiYa dYfUhi fy'fi bb]b[\ci fg'UbX'VUHY'fmj c'hg''A cXi 'Y
a cb]rcf'g'h'Y'a U]bg'gi dd'imUbX'gk]hW'c] Yf'hc'h'Y [YbYfUhc'f'k \Yb'h'Y'a U]bg'dck Yf'ZU]g''H\Y'8G9''\$&\$'U'gc
]bX]W]HY'g'cdYfUhc'bU'ghUhi g'UbX'Z]i 'hVčbX]h]cbgž'5i hca U]hW'mg\i h]b['Xck b'h'Y; Yb''GYhUbX'[]]b['hfi Y'ž]fghi d
Z]i 'hVčbX]h]cb'cZ; Yb''GYhZ]i'fy''H\Y'@7 8'X]gd'Um]bX]W]HY'g'h'Y'Z]i 'h'

A]WčdfcW'ggcf'Včbfc''YX''
@7 8'X]gd'Uma U_Yg]bZcfa Uhjcb'YUgmhc'fYUX''
(!]'bYž*('1'% &d]]Y'X]gd'Um'

5i hca U]hW'mifUbgZ'fg'VYh'YYb'a U]bg'fi h]h'hc'UbX [YbYfUhc'f'dck Yf''
A Ubi U'dfc[fUa a]b['cb'ZcbhdUbY''
I gYf]Z]YbX'mgYh'i d'UbX'Vi hrcb''Uhc'i h'
F Ya cHY'ghUf'h'
9j Ybh'c[[]b['f] h'g\ck]b['XUHY'UbX'h'a Y''
7 cbfbc'g' Ghcd# YgYhž'A Ubi U'ž'5i hcžHYg]žGHUf]žVi hrcbg''5b'UXX]h]cbU'di g\ 'Vi hrcb'bYI hrc'h'Y'@7 8'X]gd'Um]g
i gYX'hc'gVfc''h'fci [\ h'Y'a cXi 'Ygfa YHY'f]b['X]gd'Umg''

AJD 200

John Deere
Mecc Alte
P 602

9B: #9
9b[]bY'gdYYX"
C]'dfYggi fY"
7cc'UbhY'a dYfUhi fY"
F i b' hja Y"
6UHYfmj c'rg"
7cbZ[i fUVY' hja]b["
; 9B9F 5HCF
J c' hU[Y f@ @B' "
7i fFYbhf@&!@ E"
: fYei YbVW"
A 5-BG
J c' hU[Y f@ @B' "
: fYei YbVW"
A U]bg'fYUXn"
A U]bg'YbUV'YX"
; Yb"GYhfYUXn"
; Yb"GYhYbUV'YX"

K 5F B-B;
7\Uf[Y Z]i fY"
6UHYfm@ck #][\] c' hU[Y"
: U] h' ghcd"
@ck #][\ [YbYfUhc'f j c' hU[Y"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
Cj Yf# bXYf'gdYYX"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
G<I H8CK BG
: U] h' ghUf"
9a Yf[YbVW'ghcd"
@ck c]'dfYggi fY"
<][\ V'c'UbhY'a dYfUhi fY"
Cj Yf# bXYf'gdYYX"
I bXYf#j Yf[YbYfUhc'f ZYei YbVW"
I bXYf#j Yf[YbYfUhc'f c' hU[Y"
C]'dfYggi fY'gYbgcf'cdYb"
7cc'UbhY'a dYfUhi fY'gYbgcf'cdYb"
9@97 HF =75@HF -D
: YbYfUhc'f j YfW'fYbH"


: 'YI J'Y'gYbgcf'WVb VY V'c'UbhY'a dYfUhi fY'Z
dfYggi fY'Z dYfVW'bH[Y f'k Ufb]b[#]i h'Xck b# 'YVW'VW' h'f]dL
@c'W'gYh]b['dUfUa YHfg'UbX'a cb]h'f]b['Zca 'D7 h'
V'c'UbhY'a cXi 'Y k]h' I G6 V'c'UbhY'a dYfUhi fY'Z

9'YVW'VW' GUZYhm#9A 7 'V'c'UbhY'a dYfUhi fY'Z
9'YVW'VW' Vi g]bYgg'Yei]da YbH
6G'9B *%\$\$!*!&9A 7 'ja a i b]h'ghUfUfX
6G'9B *%\$\$!*!('9A 7 'Ya]gg]cb'ghUfUfX

'6UHYfmVUf[Yf]g'a Ubi ZVW' fYX'k]h' 'gk]h'VW]b[!a cXY'UbX'GA 8 'fVW'bc'c[mUbX'ih\Ug\][\ YZ]VW'VW' 6UHYfmVUf[Yf
a cXY'gfci hdi hJ !=VUfUfVW'f]gh]W]g'j YfmV'c'gY' h'c'gei UfY'UbX'ci hdi h]g']'Ua dYfZ'% z 'J 'Zc'f'&]c'hUbX'&+Z' 'J 'Zc'f'&'('J '
#bdi h% , 'I &* ('j c'h57 "'Dfc]bY'&(\$) \Ug'Z 'mci hdi hg\chVW'VW]hdfchVW]cb'UbX'ihVWb'VY i gYX'Ug'U'VW'fYbH'gci fVW"
Dfc]bY'&(\$) #&(\$) VUf[Yf'\Ug'\][\ YZ]VW'VW'cb['Z]Z'ck ZU]i fY'fUfY'Z][\hk Y][\hUbX'ck \YUhfUfX]UfYX]b
UVV'c'fXUbW'k]h']'bYUf'U'fYbUf]j Yg' H\Y'VUf[Yf]g'Z]h'YX'k]h' U'dfchVW]cb X]cXY'UV'cgg'h'Y'ci hdi h'7 cbbYVW'VUf[Y'Z]
fY'UmV'c] VYh'YYb'dcg]h]j Y'ci hdi hUbX'7: 'ci hdi h' H\Y'mUfY'Yei]ddYX'k]h' F: =Z]h'f' h' fYXi V'Y'YVW'VW'bc]gY'fUX]UfYX
Zca 'h'Y'XY'jVW"; Uj Ub]W' m]gc'UfYX]bdi hUbX'ci hdi h'hd]VW'm(_J 'Zc'f'\][\ fY']UV]]h'f

AJD 200

John Deere
Mecc Alte
P 602



- 1 Steel structures
- 2 Emergency stop push button
- 3 Control panel is right side of the set.
- 4 Corrosion-resistant locks and hinges
- 5 Sump drains valves
- 6 Sound proof foam material
- 7 Lifting Points

	"	1160
fl "L	"	3402
fl "L	"	1866
	L	380